

Uncategorized - TECO Electric Motors Australia and New Zealand

Canonical: <https://electricmotors.teco.com.au/product-category/uncategorized/>

Details:

Rotating the World Sustainably & Reliably with TECO's Solutions TECO Oceania TECO Home Appliances TECO Energy Solutions About Us Case Studies Articles Spare Part Enquiries Distributor Log in CONTACT US 0 Cart

Uncategorized

Industry Industry

Application Application

Product Energy Efficiency Product Energy Efficiency

Built in Bypass Built in Bypass

kW kW

Voltage Voltage

IP Rating IP Rating

Duty Rating Duty Rating

Constant Torque (kW/A) Constant Torque (kW/A)

Variable Torque (kW/A) Variable Torque (kW/A)

Phases Phases

Poles Poles

Supply Voltage Supply Voltage

Current Rating (Amps) Current Rating (Amps)

Filter Cards List

Image

Model

kW

Poles

Phases

IP Rating

Yaskawa V1000 The V1000 is a world-class compact current vector drive that defines a new world standard. Demands for efficient production and better maintainability are on the rise, spurred by global competition. [VIEW MORE Yaskawa V1000](#) — — — [Yaskawa U1000](#) The U1000 is a compact, total all-in-one solution for ultra-low harmonics and/or full regeneration, and is the ultimate choice for power quality and energy savings. Additionally, the U1000 delivers high [VIEW MORE Yaskawa U1000](#) — — — [TECO Emotron V33 Applications](#) Cranes Crushers Mills Mixers Heavy Duty Application + Main features Soft starts minimize start current and torque boost can be used to overcome initial peak loads Built-in braking functionality [VIEW MORE TECO Emotron V33](#) — — — [TECO Emotron Soft Starter](#) Robust metal enclosure Power range 4kW to 1.6MW, 200-690V, 3ph Solid state 3-phase control type

softstarter with heavy duty nominal rating Torque control start and stop modes for minimized start currents [VIEW MORE](#) [TECO Emotron Soft Starter](#) — — — [TECO Emotron MSF](#) Robust metal enclosure Power range 4kW to 1.6MW, 200-690V, 3ph Solid state 3-phase control type softstarter with heavy duty nominal rating Torque control start and stop modes for minimized start currents [VIEW MORE](#) [TECO Emotron MSF](#) — — — [TECO Emotron F33](#) Applications Pumps Fans Compressors Blowers Normal Duty Application Main features Soft starts minimize start current and linear stops prevent water hammer Built-in braking functionality ensures quick and safe stops of [VIEW MORE](#) [TECO Emotron F33](#) — — — [Book a Consultation](#) Have questions or need assistance? Reach out to us through the contact form, and we'll be happy to assist you.

© Copyright 2025 TECO Pty Ltd

[Products](#)

[Electric Motors](#)

[Variable Speed Drives Solutions](#)

[Low Voltage Motors](#)

[Medium and High Voltage Electric Motors](#)

[Low Voltage Variable Speed Drives](#)

[Medium Voltage Drives](#)

[Invicta Vibrator Motor](#)

[Motor Controls](#)

[IoT - MHM and Smart Motor](#)

[Soft Starters](#)

[Sitemap](#)

[Customer Service](#)

[Frequently Asked Questions](#)

[Online Enquiry](#)

[Sales T&C](#)

[Privacy Policy](#)

[Teco](#)

[Our Story](#)

[Contact us](#)

[Sustainability](#)

[News](#)

[Technical Articles](#)

[Glossary](#)

[Mobile App](#)

[Modshop](#)

[Social](#)

[LinkedIn](#)

[Youtube](#)

<https://electricmotors.teco.com.au/wp-content/uploads/sites/53/2026/05/ISO9001-Intertek-SAI-Global-Certificate-QEC3088-Expiry-25-May-2029.pdf> <https://electricmotors.teco.com.au/wp-content/uploads/sites/53/2026/08/ISO45001-Intertek-SAI-Global-Certificate-0185118-Expiry-22-August-2027.pdf> [Enquire Now](#) [Selectors Preferred Service Center](#) [Enquire Now](#) [Selectors Preferred Service Center](#)

<https://electricmotors.teco.com.au/contact-us/> tel: +61297658118

+61 297 658 118

[Enquire Now](#)

[LinkedIn](#)

[YouTube](#)

[Notifications](#)

[Skip to content](#)