

Direct On line (DOL) Starters - HFUB - TECO Electric Motors Australia and New Zealand

Canonical: <https://electricmotors.teco.com.au/product/hufb/>

Details:

Rotating the World Sustainably & Reliably with TECO's Solutions TECO Oceania TECO Home Appliances TECO Energy Solutions About Us Case Studies Articles Spare Part Enquiries Distributor Log in CONTACT US 0 Cart Direct On line (DOL) Starters – HFUB

Direct On line (DOL) Starters – HFUB

Powerful and Customizable: TECO Direct Online Starters for Reliable Machine Performance

Powerful and Efficient, ranging from 4 kilowatts to 11 kilowatts, our motor starter is designed to keep your machines running smoothly.

Housed within a sturdy IP65 rated plastic enclosure, our motor starter ensures protection against harsh environmental conditions.

With an AC3 rating for induction motor starting, our starter operates at 415 volts and 50 Hertz, accommodating 3-phase coils at the same voltage or an optional 240 volts.

CE marked, our motor starter guarantees compliance with international standards.

Equipped with two 20mm gland entry knockout points on top and bottom for easy installation.

The ample wiring space and earth terminal provided simplify the setup process.

We offer customizations to fit your requirements, including special motor ratings without overload or other voltage choices.

Download Brochure CONTACT US Features Brochures Software Drawings Data Sheet

4KW to 11KW

IP65 Plastic Enclosure

AC3 (Induction Motor Starting) Rating

415 Volt 50Hz 3 Phase, coils rated 415 Volt or option as 240 Volt

CE Marked

Gland Entry Knockout 20mm x 2 Top and Bottom

Also Available Without Overload for Special Motor Ratings (Retrofit an Overload that suits the Load)

Other Voltages Available

Ample Wiring Room

Earth Terminal Provided

dol starter flier hnf-042004.pdf

CAUN_EN_20160114

No software downloads.

Download Drawings No Drawings available Download Datasheets No Datasheets available Features 4KW to 11KW

[IP65 Plastic Enclosure](#)

[AC3 \(Induction Motor Starting\) Rating](#)

[415 Volt 50Hz 3 Phase, coils rated 415 Volt or option as 240 Volt](#)

[CE Marked](#)

[Gland Entry Knockout 20mm x 2 Top and Bottom](#)

[Also Available Without Overload for Special Motor Ratings \(Retrofit an Overload that suits the Load\)](#)

[Other Voltages Available](#)

[Ample Wiring Room](#)

[Earth Terminal Provided](#)

[Brochures](#)

[dol starter flier hnf-042004.pdf](#)

[CAUN_EN_20160114](#)

[Software](#)

[No software downloads.](#)

[Drawings Download Drawings No Drawings available Data Sheet Download Datasheets No Datasheets available Browse other categories Compressor Motors Evaporative Cooler Motors OEM Motors Medium and High Voltage Electric Motors Variable Speed Drives Invicta Vibrator Motor Uncategorized Low Voltage Motors Medium Voltage Drives TECO 3 Phase Electric Motors Drives and Automation Equipment TECO Single Phase Electric Motors Special Purpose Electric Motors TECO Cast Iron Electric Motors TECO MaxAlloy 3 Phase Soft Starters TECO MaxAlloy Single Phase TEST Stainless Steel Electric Motors Archive Book a Consultation Have questions or need assistance? Reach out to us through the contact form, and we'll be happy to assist you.](#)

[© Copyright 2025 TECO Pty Ltd](#)

[Products](#)

[Electric Motors](#)

[Variable Speed Drives Solutions](#)

[Low Voltage Motors](#)

[Medium and High Voltage Electric Motors](#)

[Low Voltage Variable Speed Drives](#)

[Medium Voltage Drives](#)

[Invicta Vibrator Motor](#)

[Motor Controls](#)

[IoT - MHM and Smart Motor](#)

[Soft Starters](#)

[Sitemap](#)

[Customer Service](#)

[Frequently Asked Questions](#)

[Online Enquiry](#)

[Sales T&C](#)

[Privacy Policy](#)

[Teco](#)

[Our Story](#)

Contact us

Sustainability

News

Technical Articles

Glossary

Mobile App

Modshop

Social

LinkedIn

Youtube

<https://electricmotors.teco.com.au/wp-content/uploads/sites/53/2026/05/ISO9001-Intertek-SAI-Global-Certificate-QEC3088-Expiry-25-May-2029.pdf> <https://electricmotors.teco.com.au/wp-content/uploads/sites/53/2026/08/ISO45001-Intertek-SAI-Global-Certificate-0185118-Expiry-22-August-2027.pdf> Enquire Now Selectors Preferred Service Center <https://electricmotors.teco.com.au/contact-us/>
tel: +61297658118

+61 297 658 118

Enquire Now

LinkedIn

YouTube

Request A Quote - Drive

Notifications

Brochures

Skip to content

Data Sheet

Drawings

Features

Software